

Technical Specifications

Note: Bidders must state in the Statement of Compliance either “*Comply*” or “*Not Comply*” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Unless otherwise categorically stated hereunder, evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent.

A. General Specifications

No.	General Specifications	Statement of Compliance
1	<i>Emergency Procurement Under Bayanihan To Recover As One Act (Bayanihan 2) - Supply and Delivery of White Bread for Health Workers</i>	

Detailed Technical Specifications

ITEM NO.	SPECIFICATIONS	STATEMENT OF COMPLIANCE
	Supply and Delivery of White Bread for Health Workers	
1	White Bread - Classic White Bread, regular slice, 600 grams, the expiration must be 1 week from the date of delivery	

Conforme:

Company/Bidder's Name:

Name and Signature of Authorized Representative:

Date: